

وصف المنتج

الموجود لديك مع تصميم كشاف LED هو بديل اقتصادي لمصابيح الهالوجين أو كشاف أضواء كاشفة إن الزجاج 5 LED SMD GU10 INNOLITE القديمة ، تقدم سطوعًا متشابهًا ولكنها توفر حتى 80% على فواتير الطاقة وتستمر أطول بـ 15 مرة.

مع زاوية الشعاع الأوسع بـ 110 درجة ، فإنها تصدر ضوءًا موحدًا لتغطية الحد الأقصى للمساحة التي تعتبر مثالية لإضاءة اللوح العرضي ، وإضاءة العمل الفني ، والإضاءة الملونة ، وإضاءة المتاجر ، الخ. بخلاف لمبة الهالوجين التقليدية ، فهي صديقة للبيئة بدون الزئبق ولا إشعاع الأشعة فوق البنفسجية أو الأشعة تحت الحمراء ، وهي فورية على السطوع الكامل.

مواصفات المنتج

نموذج رقم:	36204	36205	36206
نوع المصباح	واضح	موشوري	أوبال
قوة	5W		
تدفق مصبئة	400lm ± 10%	400lm ± 10%	380 مليون ± 10
أي ما يعادل ساطع	45W		
نوع الصمام	SMD		
مساهمة الجهد	220-240VAC أو 130-110VAC		
مواد	زجاج		
(CCT) درجة اللون	2700K - 6500K		
فئة كفاءة الطاقة	A +		
شعاع زاوية	110degree		
مؤشر تجسيد اللون	ع 80		
عامل القوى	> 0.5		
وقت البدء	S: 0.5 و العلامة		
تبدل دورة	≥12,500		
أوقات الحياة	ما يصل إلى 25000 ساعة		
قاعدة المصباح	GU10		
الأبعاد	50 = MMضياء.		
	L = 56MM		

شهادات المنتج

CE RoHS ErP SAA ETL FC

منتجات ذات صلة

نموذج رقم:	نوع المصباح	الصمام الشعيرة المواصفات.	لون الزجاج	تدفق مصبئة (lm)	(W) القوة الكهربائية
36282	G160	4 × 67	واضح / العنبر / الدخان	320 lm ± 10%	4W
36283	G160	6 × 67	واضح / كهرمان / دخان	450 lm ± 10%	6W
36284	G160	8 × 67	واضح / كهرمان / دخان	560 ل م ± 10	8W



عرض المنتج

GU10 / MR16 LED Spotlight

110 degree wider beam angle



High quality SMD, 5W equivalent to 45W halogen GU10

Glass housing for good heat release and without mercury

Exact retrofit for GU10 halogen bulbs

Free welding nickel-plated GU10 base

Features & Advantages



مزايا

- زاوية الشعاع الأوسع بمقدار 110 درجة توفر ضوءًا موحدًا يغطي المساحة القصوى
- GU10 40W تعادل لمبة الهالوجين SMD LED: 5W LED ما يصل إلى 80 % توفير الطاقة مع تقنية
- حجم التحديثية والتصميم الكلاسيكي لمظهر الهالوجين التقليدي والمظهر
- لا وميض لحماية العين البشرية
- يضمن ضوء أكثر حيوية وطبيعية 80 GT. و CRI ارتفاع
- البيئة جمعة نهائي: لا يؤدي أو الزئبق ولا الأشعة فوق البنفسجية أو الأشعة تحت الحمراء
- (العمر الطويل يستمر حتى 10 سنوات (4 ساعات في اليوم
- الاستخدام اليومي من 4 ساعات عامين محدودة الضمان القائمة في المتوسط
- مع شهادة CE LVD EMC RoHS ErP SAA ETL

الوضعية

- تستخدم على نطاق واسع كإضاءة أو إضاءة بلكنة في المكتب ، غرفة اجتماعات ، صالة عرض ، أضواء كاشفة 5 INNOLITE SMD GU10 LED
- . مدخل ، غرفة معيشة ، غرفة نوم ، حمام ، غرفة طعام ، مطبخ ، إلخ ، KTV ، نافذة متجر ، فندق ، مطعم ، مكتبة
- التشغيل والصيانة
- درجة مئوية إلى 40 درجة مئوية -20-ent السفيرتراوح درجة الحرارة
- قم بتخزين واستخدام المصباح / المصباح بنفس طريقة استخدام المصباح / المصباح التقليدي
- تحقق من أن تجهيزاتك موصلة بشكل صحيح ولا تقدم ثباتًا في الجهد الكهربائي إلى المصباح / المصباح مما يؤدي إلى ارتفاع درجة الحرارة أو الفشل.
- يجب أن تبقى المصباح / مصباح خالية من التلوث
- تعد الحالة الجيدة لجهات اتصال حامل المصابيح مهمة لضمان التشغيل السليم للمصباح / المصباح
- أغلق مصدر التيار الكهربائي قبل تركيب أو إزالة المصباح / المصباح
- تأكد من أن المصباح / المصباح بارد قبل إزالته
- تحذير: توقف عن الاستخدام في حالة تلفه

Application



صفقة

لمبة لكل لون مربع ، ثم 50 قطع معبأة في كرتونة تصدير القياسية واحدة. (1 قطعة لكل لون مربع ، 50 قطع في led قطعة 1 الكرتون)

سياسة العائدات

الاستخدام اليومي لمدة 4 ساعات لهذا البند. نحن نقدم ضمان مجاني لمدة عامين على أساس متوسط ينبغي أن يطلب المرتجعات:
الخطوة (1) اتصل بنا مع هذا الموقع الإلكتروني.
الخطوة (2) تقديم أكبر قدر ممكن من التفاصيل حول المشكلة التي تواجهها.
الخطوة (3) سيصدر تصريح للعودة البند.
الخطوة (4) إعادة العنصر لاستبدال أو استرداد المتفق عليها.

التعليمات

Q1. هل أنت منتج؟

a1: نعم ، نحن شركة تصنيع ذوي الخبرة مع قوالب وخطوط الإنتاج الخاصة بنا:

Q2.How حول جودة المنتجات؟

a2: لدينا فنيين وفريق مراقبة الجودة اختبار المنتجات واحدا تلو الآخر باستخدام خط الشبخوخة ، الأجهزة والأدوات المهنية لضمان الجودة لجميع المنتجات.

Q3.How عن السعر؟

a3: نحن شركة تصنيع ونقدم لعملائنا دائما أسعار أكثر تنافسية.

Q4.How لوضع النظام؟

a4: الاتصال بالخدمة عبر الإنترنت ، أو إرسال بريد إلكتروني لنا مباشرة ، وسوف نقوم بالرد عليك مع سعر المنتج ومواصفات والتعبئة ، وما إلى ذلك قريبا. شكرا لكم.

س 5. يمكنني شراء عينات منك؟

Q6.Can ج 5: نعم! أنت موضع ترحيب لوضع النظام عينة لاختبار لدينا عالية الجودة والخدمة ، عينات مختلطة مقبولة المصنع الخاص بك؟

a6: نعم ، مرحبا بكم في زيارة المصنع في وقت مناسب:

Q7.How أو تصنيع؟ OEM يمكنني أن أجعل أوامر

a7: تصنيع مختلف. يرجى الاتصال بنا عبر الإنترنت أو إرسال بريد إلكتروني لنا مباشرة / OEM لدينا معالجة الطباعة المختلفة لأوامر:

Q8. كيف يمكنني دفع ثمن طلبي؟

a8: في الافق ستكون متاحة لبنك مؤهل وموك المطلوبة لكل أمر T / T ، L / C يمكنك الدفع عن طريق



Author:	KAILIN LIGHTING INDUSTRIES INTERNATIONAL CO., LTD.
Auth. Certificate No.:	0402028
Auth. Issue Date:	19/10/2016
Applicable to the Audit:	Please refer to the product profile in the BSCI platform
Working Language:	ENGLISH
Auditing Branch:	Early (Shanghai)
Auditing Branch of certificate:	TM (Shanghai)



This is an extract of the full BSCI Report. The complete report is available in the BSCI Platform. Please refer to the BSCI platform for more information on the BSCI platform.

BSCI Platform: www.bsciplatform.com

ATTESTATION OF CONFORMITY

Brand: Inretech Industrial Co., Ltd
 P.O. Box 127, Anhai Building, NO.602, Shenzhen Road, Shanghai, China
 For the product: LED indicator LED lamp
 Trade name: -
 Type/model: (Please refer to label for information of test report)
 Range: LED 200 Vrms, 50 Hz. (Please refer to label for information of test report)
 Manufactured by: Kailin Lighting Co., Ltd
 Kailin Lighting Co., Ltd
 4F, 46th Floor, No. 127, Anhai Building, No. 602, Shenzhen Road, Shanghai, China
 200001, China
 Registration: 64 620658114
 64 620658114
 64 620658114
 64 620658114
 This Attestation is granted on condition of full compliance to EN60598, the results of which are set forth in a certificate No. 0402028-011 + 020198-011 + 020198-011.
 This Attestation applies only to the product type and is not applicable with the structured designation under the Low Voltage Directive (LVD) 2006/95/EC.
 The inspection has been carried out on one single type/model or several specimens of the product, controlled by the manufacturer. This Attestation does not include an assessment of the manufacturer's production conformity of its production with the specimen tested by IECEx, on the responsibility of IECEx.
 Shanghai, 10 August 2016
 Nicolas ADRIEN-BLANC
 IECEx Testing and Certification Shanghai Co., Ltd
 General Manager
 (Signature)
 IECEx Testing and Certification Shanghai Co., Ltd
 4F, 46th Floor, No. 127, Anhai Building, No. 602, Shenzhen Road, Shanghai, China
 200001, China
 64 620658114 + 64 620658114 + 64 620658114

Applicant: INRETECH INDUSTRIAL COMPANY LIMITED
 Address: #127, 12F, Anhai Building, No. 602, Shenzhen Road, Shanghai, China
 Date of Issuance: May 12, 2016 & May 26, 2016 & Jun 06, 2016
 Testing Period: From May 12, 2016 to Jun 06, 2016
 Report on the submitted sample used to be:
 Item Name: LED Lamp
 Model No.: RL371P-3, RL371P-3, RL439P-3, RL439P-4, RL445P-4, RL439P-5, RL439P-6, RL445P-10, RL445P-10, RL445P-10, RL445P-10, RL445P-10, RL445P-10, RL445P-10, RL445P-10, RL445P-10, RL445P-10
 Ref. Model No.: See Appendix 1
Test Result:
 As per applicant requirement, according to European Normative (EN60598) and its Amendment, Test on submitted samples
 - Low (P), Medium (M), Heavy (H), Intermediate (I) and
 High-Performance (HP) & Performance (PP) Class (P, M, I, H, HP, PP) tested.
 Pass
 Please see the test projects for details.
 Signed by and on behalf of LCTECH
 Reviewed by: (Signature)
 Status: Project Engineer
 Approved by: (Signature)
 Status: Project Engineer
 This test report shall not be reproduced, copied or full, without written approval of IECEx
 IECEx Testing and Certification Shanghai Co., Ltd
 4F, 46th Floor, No. 127, Anhai Building, No. 602, Shenzhen Road, Shanghai, China, 200001, China
 Tel: 86 21 621 01 000 Fax: 86 21 621 01 100 E-MAIL: IECEx@IECEx.com

Holder of Certificate: KAILIN LIGHTING CO., LTD
 Inretech Industrial (Shanghai) Trading Co., Ltd
 46th Floor, No. 127, Anhai Building, No. 602, Shenzhen Road, Shanghai, China
 200001, China
 Product: LED Lamp (LED Lamp)
 Model(s): (List of models)
 Parameters: (Table of parameters)
 Tested according to: (List of standards)
 This Attestation of Conformity is granted on a voluntary basis according to the Low Voltage Directive (LVD) and is intended to be used as a basis for the product's compliance with the CE marking requirements of the Low Voltage Directive (LVD) and is not intended to be used as a basis for the product's compliance with the CE marking requirements of the Low Voltage Directive (LVD) and is not intended to be used as a basis for the product's compliance with the CE marking requirements of the Low Voltage Directive (LVD).
 Date: 02/11/2016
 CE Marking: (Signature)
 Page 1 of 2

SAA APPROVALS

Certificate of Suitability
 Certificate No.: SAA101819
 Certificate Holder: Kailin Lighting Co., Ltd
 Inretech Industrial (Shanghai) Trading Co., Ltd
 46th Floor, No. 127, Anhai Building, No. 602, Shenzhen Road, Shanghai, China
 200001, China
 Class Description: Non-Domestic
 Product: LED Lamp
 Brand Name: KAILIN Lighting Co., Ltd
 Model No.: RL445P-10
 Range: LED 200V - 250V 50/60Hz
 Standard: EN60598-1 EN60598-2-10
 Certification Marks: SAA101819 or 819
 Date First Assessed: 02 August 2016
 Date of Expiry: 02 August 2021

 Approved by: (Signature)
 Status: Project Engineer

 Page 1 of 2

Intertek AUTHORIZATION TO MARK

 This document is the property of Intertek and shall not be reproduced, copied or full, without written approval of Intertek. This document is intended for use by the manufacturer of the product for which this certificate was issued.
 Applicant: KAILIN LIGHTING CO., LTD
 Address: 46th Floor, No. 127, Anhai Building, No. 602, Shenzhen Road, Shanghai, China
 200001, China
 Product: LED Lamp (LED Lamp)
 Model(s): (List of models)
 Parameters: (Table of parameters)
 Tested according to: (List of standards)
 This document is the property of Intertek and shall not be reproduced, copied or full, without written approval of Intertek.
 Date: 02/11/2016
 Intertek Testing Services (UK) Ltd
 3000 Market Road, Suite 1000, Markham, ON L3R 9V2, Canada
 Tel: 905-947-8900 Fax: 905-947-8901 E-MAIL: Intertek@intertek.com
 Page 1 of 2

Factory Show



Automatic SMT



Welding Line



Automatic Bulb Sealing Line



Driver Production Line



Assembly Line



Automatic Base Mounting Line



Automatic Aging Line



Life Time Testing



R&D Department



Office



Show Room



Factory Building

Exhibition & Fair

