



Product Description

With a classic lantern shape design, INNOLITE antique Lantern LED filament bulb can offer a warm amber glow that creates a Nostalgic feel. It is perfect for use in pendant lights, chandeliers, or any decorative fixture where the bulb is visible.

With high quality LED([China Lantern LED filament bulb supplier](#)) filaments, this bulb is more energy saving than traditional incandescent bulbs with the similar brightness but lasts 25 times longer. The installation is very easy as with the same international lamp base E26 E27 B22, you can replace the old bulbs in a few seconds.

Meanwhile, it also can be dimmable by regular Triac dimmers to provide a much warmer and more useful light for you.



Product Specification

Model No.	37866
Power	4W
Cover type	Amber or Smoke
Luminous Flux	320lm ± 10%
LED Filament Spec.	4X38
Input Voltage	220-240VAC or 110-130VAC
Material	Glass
Color Temp (CCT)	1800K - 3000K
Energy Efficiency Class	A+
Beam Angle	360°
Color Rendering Index	≥80 Ra
Power factor	≥0.5
Start Time	<0.5S
Switching Cycle	≥12,500
Life time	Up to 25,000 hours
Lamp Base	E27 E26 B22
Dimensions	Dia.=85mm
	L=110mm



Product Certificates

CE RoHS ErP SAA  FC



Related Products

Model No.	Bulb Type	Dimension	LED Filament Spec.	Wattage(W)	Luminous Flux(lm)
-----------	-----------	-----------	--------------------	------------	-------------------

37865	Lantern L-D85	Ø85X110mm	2x38	2W	160lm ± 10%
37867			6x38	6W	450lm ± 10%
37861		Ø85X118mm	2x67	2W	160lm ± 10%
37862			4x67	4W	320lm ± 10%
37863			6x67	6W	450lm ± 10%




Product Test Report

Product Mark

Product Type :
Temperature :26'C
Operator :01
Remark:

Manufacturer :Innotech
Humidity :65%
Test Date :2017-12-29



Chroma Parameters

Chro.Coar.:x=0.4638 y=0.4138 u=0.2636 v=0.3528 duv=0.0009
CCT: 2671K Dominant Wave.:584.1nm Purity:63.4%
Flux RGB Ratio:R=25.3%,G=73.3%,B=1.4% Peak Wave:607.7nm Half Width:114.8nm

Rendering Index:Ra= 82.1

R1 =80	R2 =91	R3 =96	R4 =80	R5 =81	R6 =92	R7 =81	R8 =56
R9 =7	R10=81	R11=79	R12=75	R13=83	R14=98	R15=72	

Photo Parameters

Flux:447.55lm Effi.:123.3lm/W Radiant:1298.0mW Iv:0.0mcd
Efficiency:0.092 Effi Level:A++ (EU 874-2012)

Ele. Parameters

Voltage:U=230.100V Current:I=0.0280A
Power:P=3.63W Power Factor:PF=0.553


Instrument state

Instrument:Hopoo HP8000S	Integral Time: 63.588ms	VPeak: 13336
VDark: 1254	Scan Range: 380-780nm	Product ID: 201710386



Product show

Vintage LED Filament Bulb



Features & Advantages





Advantages

- ² Exact retrofit for incandescent bulb
- ² 360° beam angle delivers a even distribution of light without creating shadows
- ² Up to 85% energy saving with new LED filament technology
- ² No flicker to protect human eyes
- ² High CRI > 80 ensures more vivid and natural light
- ² Environment friendly: No lead or mercury and No UV or IR Radiation
- ² Long life time lasts up to 10 years (4 hours use per day)
- ² Dimmable
- ² Two years limited warranty based on average daily use of 4 hours
- ² With certification of CE LVD EMC RoHS ErP SAA ETL FCC, etc



Application

With a nice lantern bulb type, INNOLITE antique LED([vintage lantern LED bulbs factory in china](#)) filament bulbs lantern can deliver a classic ambiance light in living room, bedroom, hallway, exhibition hall, showroom, showcase, art-room, museums, bar, bistro, coffee shop, cafes, restaurant, hotel, etc. It is perfect for use in pendant lights, chandeliers or any decorative fixture where the bulb is visible.

Operation and maintenance

- ² Ambient temperature range -20° C to 40°C.
- ² Store and use the bulb/lamp the same way as traditional bulb/lamp.
- ² Check your fixtures are properly wired and don't deliver voltage spike to bulb/lamp causing overheating/failure.
- ² Bulb/lamp should be kept free from contamination.
- ² Good condition of the lamp-holder contacts is important to ensure proper operation of bulb/lamp.
- ² Switch off mains supply before installing or removing bulb/lamp.
- ² Ensure bulb/lamp is cool before removing.

Warning: Discontinue use if damaged.

Application



Package

1 pc LED([Antique LED filament bulbs Lantern](#)) bulb per color box, then 25pcs packed in one standard export carton.(1pc/color box, 25pcs/carton)



Return Policy

We provide a free TWO YEARS LIMITED WARRANTY based on average daily use of 4 hours for this item.
Should returns be required:
Step 1) Contact us with this website email.
Step 2) Provide as much detail as possible about the problem you are having.

Step 3) Authorization to return the item will be issued.
Step 4) Return the item for the agreed replacement or refund.



FAQ

Q1.Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with our own molds and production lines.

Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

Q5.May I buy samples from you?

A5: Yes! You are welcome to place sample order to test our superior quality and service, mixed samples are acceptable.

Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.

Q7.How can I make OEM or ODM orders?

A7: We have different print processing for different OEM/ODM orders. Please contact us with online service or send email to us directly.

Q8. How should I pay for my orders?

A8: You can pay by T/T, L/C at sight would be available for qualified bank and MOQ required for each order.

Logistics

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Certifications



Exhibition & Fair



Factory Show

