



Product Description

INNOLITE flexible LED filament bulb([Filament LED bulbs With E26 E27 B22 lamp base](#)) GLS A67 with European filament patent provide a great retro style with familiar classic style you know and love. With European flexible filament patent, it means that you can sell this item in European market without any patent problem.

With a wide 360 degree beam angle, this 8W LED bulb offers omni-directional light to prevent shadows and provide warm white light all around. Meanwhile with the new LED technology, it is 85% less energy saving and can last 25 times longer if compared with 60W traditional incandescent bulbs. Meanwhile it is eco-friendly as without any mercury or IR radiation.

Installation is very easy due to exact same size and base cap — Just replace your old incandescent bulb with our new INNOLITE LED Filament light bulb([filament patent LED filament bulb supplier](#)) directly in your living space and save energy and costs while retaining the traditional look and feel.



Product Specification

Model No.	37464
Power	8W
Cover type	Clear
Luminous Flux	720lm ± 10%
Equivalent to Incandescent	55 - 60W
LED Filament Spec.	Spiral x 1
Input Voltage	220-240VAC or 110-130VAC
Material	Glass
Color Temp (CCT)	2700K - 6500K
Energy Efficiency Label	A+
Beam Angle	360°
Color Rendering Index	≥80 Ra
Power factor	≥0.5
Start Time	<0.5S
Switching Cycle	≥12,500
Life time	Up to 25,000 hours
Lamp Base	E26 E27 B22
Dimensions	Diameter=67mm
	L=124mm



Product Certificates

CE RoHS ErP SAA  FC



Related Products

Model No.	Wattage(W)	LED Filament Spec.	Luminous Flux(lm)	Equivalent Incandescent Bulb
37461	4W	Spiralx1	400lm \pm 10%	35 - 40W
37462	6W	Spiralx1	570lm \pm 10%	45 - 50W



Product Test Report

Product Mark

Product Type :A67 FLEX 8W 230VAC 3000K

Manufacturer :INNOTECH



Temperature :26'C

Humidity :65%

Operator :01

Test Date :2017-11-28 10:18:58

Remark:



Chroma Parameters

Chro.Coar.:x=0.4265 y=0.3894 u=0.2502 v=0.3426 duv=-0.0045

CCT: 3060K Dominant Wave.:584.4nm Purity:44.9%

Flux RGB Ratio:R=22.5%,G=75.4%,B=2.1% Peak Wave:600.8nm Half Width:111.6nm

Rendering Index:Ra= 80.2

R1 =80	R2 =93	R3 =91	R4 =76	R5 =80	R6 =92	R7 =78	R8 =53
R9 =-3	R10=84	R11=74	R12=73	R13=83	R14=96	R15=72	

Photo Parameters

Flux:716.57lm

Effi.:89.2lm/W

Radiant:2020.2mW

Iv:0.0mcd

Efficiency:0.137

Effi Level:A+ (EU 874-2012)

Ele. Parameters

Voltage:U=229.900V

Current:I=0.0580A

Power:P=8.03W

Power Factor:PF=0.594

Instrument state

Instrument:Hopoo HP8000S

Integral Time: 39.045ms

VPeak: 13208

VDark: 1342


Scan Range: 380-780nm

Product ID: 201710386




Product show

Flexible LED Filament Bulb



Features & Advantages



With European Patent





Advantages

- ² With European patent, exact retrofit for incandescent bulb
- ² 360° beam angle delivers a even distribution of light without creating shadows
- ² Up to 85% energy saving with new LED filament technology
- ² No flicker to protect human eyes
- ² High CRI > 80 ensures more vivid and natural light
- ² Environment friendly: No lead or mercury and No UV or IR Radiation
- ² Long life time lasts up to 10 years (4 hours use per day)
- ² Dimmable
- ² Two years limited warranty based on average daily use of 4 hours
- ² With certification of CE RoHS ErP, etc.



Application

INNOTECH Flexible LED filament bulb([filament patent LED filament bulb supplier](#)) with European patent provides perfect decorative ambient light for dining-room, meeting room, drawing room, show room, hotel, shop, bistro, corridor, telephone booth, studio and exhibition etc. It is ideal for indoor use in bistro lights, large tents, decorative wedding lights, decorative light strands, commercial light strings, chandeliers, ornamental fixtures, etc.

Operation and maintenance

- ² Ambient temperature range -20° C to 40°C.
- ² Store and use the bulb/lamp the same way as traditional bulb/lamp.
- ² Check your fixtures are properly wired and don't deliver voltage spike to bulb/lamp causing overheating/failure.
- ² Bulb/lamp should be kept free from contamination.
- ² Good condition of the lamp-holder contacts is important to ensure proper operation of bulb/lamp.
- ² Switch off mains supply before installing or removing bulb/lamp.
- ² Ensure bulb/lamp is cool before removing.

Warning: Discontinue use if damaged.

Application



Package

1 pc LED bulb per color box, then 50pcs packed in one standard export carton.(1pc/color box,50pc / carton)



Return Policy

We provide a free TWO YEARS LIMITED WARRANTY based on average daily use of 4 hours for this item. Should returns be required:

Step 1) Contact us with this website email.

Step 2) Provide as much detail as possible about the problem you are having.

Step 3) Authorization to return the item will be issued.

Step 4) Return the item for the agreed replacement or refund.



FAQ

Q1.Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with our own molds and production lines.

Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

Q5.May I buy samples from you?

A5: Yes! You are welcome to place sample order to test our superior quality and service, mixed samples are acceptable.

Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.

Q7.How can I make OEM or ODM orders?

A7: We have different print processing for different OEM/ODM orders. Please contact us with online service or send email to us directly.

Q8. How should I pay for my orders?

A8: You can pay by T/T, L/C at sight would be available for qualified bank and MOQ required for each order.

Logistics

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Certifications



Exhibition & Fair



Factory Show

