



product Description

With a classic shape design, Innolite [Golf Ball LED Filament Bulb G45 2W](#) combines the familiar shape of classic incandescent G45 / P45 bulbs with the benefits of the long lasting LED technology. It can deliver a beautiful decorative warm white light and also is available in cool white for a bright light.

Unlike the traditional incandescent bulb, Our Innolite Golf Ball LED Filament Bulb G45 P45 feature ultra-thin, high transmittance crystal clear glass and E14 base which offers easy to free replacements.

This golf ball LED filament bulb also gives you the option to control the mood and set the tone with dimmable versions to choose from.



Specification

model no.	37312
Power	2W
Cover type	Clear
Luminous flux	220lm \pm 10%
Equivalent to bulb	25W
LED Filament Spec.	2 x 38 mm
Input voltage	220-240VAC or 110-130VAC
Material	Glass
Color Temp (CCT)	2700K - 6500K
Energy efficiency class	A ++
Beam Angle	360 °
Color Rendering Index	\geq 80 Ra
Power factor	\geq 0.5
start time	<0.5S
switching Cycle	\geq 12,500
Lifetime	Up to 25,000 hours
lamp base	E12 E14 E26 E27 B22
Measure	Dia. = 45mm
	E14: L=77mm, E27: L=72mm



product Certifications



Related Products

model no.	Bulb Type	Wattal (W)	LED Filament Spec.	Luminous Flux (lm)	Equivalent bulb
-----------	-----------	------------	--------------------	--------------------	-----------------

37315	Golf ball G45 P45	4W	4 x38	450lm \pm 10%	40W
37316		5.5W	6 x38	550lm \pm 10%	50W




Product Test Report

Product Mark

Product Type :350303 2W E14 3000K
 Temperature :26'C
 Operator :01
 Remark:

Manufacturer :IN
 Humidity :65%
 Test Date :2019-06-17 16:25:16



Chroma Parameters

Chro.Coord.:x=0.4389 y=0.4050 u=0.2514 v=0.3480 duv=0.0001
 CCT: 2976K Dominant Wave.:582.9nm Purity:53.3%
 Flux RGB Ratio:R=22.8%,G=75.6%,B=1.6% Peak Wave:604.7nm Half Width:127.3nm

Rendering Index:Ra= 81.2

R1 =78 R2 =88 R3 =97 R4 =81 R5 =81 R6 =89 R7 =80 R8 =55
 R9 =1 R10=75 R11=80 R12=69 R13=80 R14=99 R15=70

Photo Parameters

Flux:191.14lm Effi.:114.5lm/W Radiant:562.8mW Iv:0.0mcd
 Efficiency:0.078 Effi Level:A++ (EU 874-2012)


Ele. Parameters

Voltage:U=230.800V Current:I=0.0130A
 Power:P=1.67W Power Factor:PF=0.553




product Exhibition

LED Filament Bulb



Features & Advantages





advantages

- ² 360 ° beam angle gives even distribution of light without creating shadows
- ² Up to 90% energy saving with new LED([golf ball LED bulbs manufacturer](#)) filament technology: 7W LED equivalent to 60W incandescent bulb
- ² Retrofit size and classic vintage design for traditional glowing looks
- ² No flicker to protect human eyes
- ² High CRI & gt; 80 guarantees more vibrant and natural light
- ² Environmentally friendly: No lead or mercury and no UV or IR radiation
- ² Long life lasts up to 10 years (4 hours usage per day)
- ² dimmable
- ² Two-year limited warranty based on average daily use of 4 hours
- ² With CE / LVD / EMC / RoHS / ErP / SAA / ETL certification



Application

[Innolite golf ball LED filament bulb](#) can deliver a beautiful decorative warm white light and also is available in cool white for a bright light in kitchen, living room, bedroom, hallway, restaurant, etc. It is ideal for living rooms, dining rooms, bedrooms, bathrooms, kitchens and recreation rooms, pendant fixtures or ceiling fixtures, etc.

Operation and maintenance

- ² Ambient temperature range -20 ° C to 40 ° C.
- ² Store and use the lamp / lamp in the same way as a traditional lamp / lamp.
- ² Make sure your luminaires are properly connected and do not deliver voltage tip to the lamp / lamp that causes overheating / malfunction.
- ² Lamp / lamp should be kept free from contamination.
- ² Good contact with the lamp holder contacts is important to ensure that the lamp / lamp is working properly.
- ² Switch off the mains voltage before installing or removing the lamp / lamp.
- ² Make sure the lamp / lamp is cold before removing it.

Warning: Cancel use if it is damaged.

Application



Package

1 pc LED bulb per color box, then 100pcs packed in one standard export carton.(1pc/color box,100pcs/carton)



return Policy

We provide a free two-year LIMITED WARRANTY based on the average daily use of 4 hours for this product. Should return be required

Step 1) Contact us with this site's email.

Step 2) Give as much detail as possible about the problem you have.

Step 3) Permission to return the item will be issued.

Step 4) Return the item for the agreed replacement or refund.



FAQ

Q1. Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with custom molds and production lines.

Q2.How about product quality?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality of all products.Q3.How about the price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4. Do you order?

A4: Contact with online service or send us an e-mail immediately, we will reply soon to product price, specifications, packaging, etc. Tack.Q5. Can I buy samples from you?

A5: Yes! You are welcome to place test orders to test our superior quality and service, mixed samples are acceptable.

Q6. Can I visit your factory?

A6: Yes, welcome to visit our factory at your appropriate time.

Q7. How can I make OEM or ODM orders?

A7: We have different print jobs for different OEM / ODM orders. Please contact us with online service or email us directly.

Q8. How do I pay for my orders?

A8: You can pay with T / T, L / C at the point of view would be available to qualified bank and MOQ required for each order.

Logistics

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Certifications



Exhibition & Fair



Factory Show

