



Product Description

Innolite LED Panel light 40W can create a stylish and energy efficient lighting scheme. Reaching its full brightness as soon as you switch it on, this LED panel light becomes part of the ceiling providing a neat finish and a streamlined look.

With diffused, uniform and comfortable illumination effects, Innolite LED Panel light is the new upgrade replacement for all traditional recessed & surface louver luminaries and troffer in hotel, office, meeting room, show room, shop, hospital, supermarket, school, beauty salons, storefront and other public entities. Meanwhile the installation also is easy: ceiling, suspend, surface and recess options are available.



Product Specification

Model No.	31009
Power	40W
Finishing	White or Silver
Luminous Efficiency	80 lm/w or 100 lm/w
Pattern of Frame	1. Flat, 2. Step, 3. Step with strips
Mounting Option	Recessed, Surface, Ceiling, Suspend
Input Voltage	175-265VAC or 85-265VAC
Color Temp (CCT)	2700K - 6500K
Energy Efficiency Class	A+
Beam Angle	85 degree or 120 degree
Color Rendering Index	≥80 Ra
Power factor	≥0.50 or >0.90
Start Time	<0.5S
Switching Cycle	≥12,500
Life time	Up to 25,000 hours
Dimensions	595X595mm, 600x600mm, 605x605mm, 620x620mm, 2 feet x 2 feet



Product Certificates

CE RoHS



Related Products

Model No.	Wattage(W)	Luminous Efficiency	Finishing	Dimensions
-----------	------------	---------------------	-----------	------------

31001	8W	80 LM/W or 100 LM/W	White or Silver	295x295mm 300x300mm
31002	12W			
31004	16W			295x595mm 300x600mm
31005	24W			
31007	32W			595x595mm 600x600mm
31008	36W			605x605mm 620x620mm
31010	48W			2 feet x 2 feet
31011	36W			295x1195mm 300x1200mm
31012	40W			305x1205mm 320x1220mm
31013	48W			1 feet x 4 feet
31015	56W			595x1195mm 600x1200mm
31016	60W			605x1205mm 620x1220mm
31017	72W			2 feet x4 feet



Product show

INNOLITE®
GREEN LIGHTING SOLUTION



CE RoHS  



Advantages

- ² High brightness 80lm/w or 100lm/w
- ² Thin and strong aluminum alloy frame structure and not easily deformed
- ² Easy and quick installation to save labor costs
- ² No flicker to protect human eyes
- ² High CRI > 80 ensures more vivid and natural light
- ² Environment friendly: No lead or mercury and No UV or IR Radiation
- ² Long life time lasts up to 10 years (4 hours use per day)
- ² Dimmable
- ² Two years limited warranty based on average daily use of 4 hours
- ² With certification of CE RoHS DLC ETL



Application

INNOLITE LED panel light 40W gives off uniformity perfect light with a flat elegant look. It is widely used in conference hall, storefronts, bars, restaurants, beauty salons, retail stores, offices, hotels, homes, shops, hospitals, schools and restaurant, etc.



Operation and maintenance

- ² Ambient temperature range -20° C to 40°C.
- ² Store and use the bulb/lamp the same way as traditional bulb/lamp.
- ² Check your fixtures are properly wired and don't deliver voltage spike to bulb/lamp causing overheating/failure.
- ² Bulb/lamp should be kept free from contamination.
- ² Good condition of the lamp-holder contacts is important to ensure proper operation of bulb/lamp.
- ² Switch off mains supply before installing or removing bulb/lamp.
- ² Ensure bulb/lamp is cool before removing.

Warning: Discontinue use if damaged.



Package

1 pc led bulb per color box, then 20pcs packed in one standard export carton.(1pc/color box,20pcs/carton)



Return Policy

We provide a free TWO YEARS LIMITED WARRANTY based on average daily use of 4 hours for this item.

Should returns be required:

Step 1) Contact us with this website email.

Step 2) Provide as much detail as possible about the problem you are having.

Step 3) Authorization to return the item will be issued.

Step 4) Return the item for the agreed replacement or refund.



FAQ

Q1.Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with our own molds and production lines.

Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

Q5.May I buy samples from you?

A5: Yes! You are welcome to place sample order to test our superior quality and service, mixed samples are acceptable.

Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.

Q7.How can I make OEM or ODM orders?

A7: We have different print processing for different OEM/ODM orders. Please contact us with online service or send email to us directly.

Q8. How should I pay for my orders?

A8: You can pay by T/T, L/C at sight would be available for qualified bank and MOQ required for each order.

Logistics

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Certifications



Exhibition & Fair



Factory Show

