



Product Description

INNOLITE Vintage LED filament bulbs ST64 4W([LED filament light bulbs classic ST64](#)) (long filament 4 pieces x 67mm)can can add an elegant and historic touch to your house with the soft warm light. These Innolite meticulously crafted Edison light bulb delivers a classic ambience to any space you love.

With an E26 E27 B22 base, this bulb can fit standard home lighting sockets as well as any pendant light fixtures, commercial string lights, lamps, chandeliers which use an E26 or E27 or B22 socket, installation is very easy. Meanwhile, it also can be dimmable by regular Triac dimmers to provide a much brighter and more useful light for you.

Unlike the traditional incandescent bulb([LED Filament light Bulbs manufacturer](#)), it is also an environmental friendly product as no any mercury and UV radiation involved. So start to enjoy a antique ambience in your home now.



Product Specification

Model No.	37822
Power	4W
Cover type	Amber or Smoke
Luminous Flux	320lm ± 10%
LED Filament Spec.	4X67
Input Voltage	220-240VAC or 110-130VAC
Material	Glass
Color Temp (CCT)	1800K - 3000K
Energy Efficiency Label	A+
Beam Angle	360°
Color Rendering Index	≥80 Ra
Power factor	≥0.5
Start Time	<0.5S
Switching Cycle	≥12,500
Life time	Up to 25,000 hours
Lamp Base	E27 E26 B22
Dimensions	Dia.=64mm
	L=140mm



Product Certificates

CE RoHS ErP SAA  FC



Related Products

Model No.	Bulb Type	Dimension	Wattage(W)	Luminous Flux(lm)
37721	ST58	Ø58x130mm	2W	160lm ± 10%
37722			4W	320lm ± 10%
37723			6W	450lm ± 10%
37831	ST58	Ø58x130mm	2W	160lm ± 10%
37832			4W	320lm ± 10%
37833			6W	450lm ± 10%
37731	ST64	Ø64x140mm	2W	160lm ± 10%
37732			4W	320lm ± 10%
37733			6W	450lm ± 10%
37821	ST64	Ø64x140mm	2W	160lm ± 10%
37823			6W	450lm ± 10%



Product Test Report

Product Mark

Product Type :ST64 Fila-L 4W 2200K DIM

Manufacturer :INNOTECH



Temperature :26'C

Humidity :65%

Operator :01

Test Date :2017-11-28 12:02:03

Remark:



Chroma Parameters

Chro.Coord.:x=0.5167 y=0.4153 u=0.2974 v=0.3585 duv=0.0002

CCT: 2098K Dominant Wave.:588.0nm Purity:79.8%

Flux RGB Ratio:R=33.1%,G=66.0%,B=0.8% Peak Wave:632.8nm Half Width:117.2nm

Rendering Index:Ra= 92.8

R1 =93	R2 =98	R3 =99	R4 =93	R5 =93	R6 =98	R7 =90	R8 =79
R9 =58	R10=94	R11=95	R12=91	R13=95	R14=99	R15=88	

Photo Parameters

Flux:421.62lm

Effi.:78.8lm/W

Radiant:1584.6mW

Iv:0.0mcd

Efficiency:0.138

Effi Level:A+ (EU 874-2012)

Ele. Parameters

Voltage:U=230.000V

Current:I=0.0240A

Power:P=5.35W

Power Factor:PF=0.935

Instrument state

Instrument:Hopoo HP8000S

Integral Time: 63.088ms

VPeak: 13560

VDark: 1141

Scan Range: 380-780nm

Product ID: 201710386



Product show

Vintage LED Filament Bulb



Features & Advantages





Advantages

- ²Exact retrofit for incandescent bulb
- ²360° beam angle delivers a even distribution of light without creating shadows
- ²Up to 85% energy saving with new LED filament technology
- ²No flicker to protect human eyes
- ²High CRI > 80 ensures more vivid and natural light
- ²Environment friendly: No lead or mercury and No UV or IR Radiation
- ²Long life time lasts up to 10 years (4 hours use per day)
- ²Dimmable
- ²Two years limited warranty based on average daily use of 4 hours
- ²With certification of CE LVD EMC RoHS ErP SAA ETL FCC, etc



Application

Vintage LED light bulb ST64 4W([Classic ST64 Vintage LED Filament Bulbs](#)) provides a artistic and vintage appeal to any wall sconces, chandelier, pendant light, barn beam lights, industrial lamps or outdoor light. It is perfect to give off a warm amber light in showroom, art-room, museums, bar, bistro, coffee shop, optical shop, restaurant, hotel, living room, dining room, bedroom, kitchen, etc.

Operation and maintenance

- ² Ambient temperature range -20° C to 40°C.
- ² Store and use the bulb/lamp the same way as traditional bulb/lamp.
- ² Check your fixtures are properly wired and don't deliver voltage spike to bulb/lamp causing overheating/failure.
- ² Bulb/lamp should be kept free from contamination.
- ² Good condition of the lamp-holder contacts is important to ensure proper operation of bulb/lamp.
- ² Switch off mains supply before installing or removing bulb/lamp.
- ² Ensure bulb/lamp is cool before removing.

Warning: Discontinue use if damaged.

Application



Package

1 pc LED bulb per color box, then 50pcs packed in one standard export carton.(1pc/color box, 50pcs/carton)



Return Policy

We provide a free TWO YEARS LIMITED WARRANTY based on average daily use of 4 hours for this item.

Should returns be required:

Step 1) Contact us with this website email.

Step 2) Provide as much detail as possible about the problem you are having.

Step 3) Authorization to return the item will be issued.

Step 4) Return the item for the agreed replacement or refund.



FAQ

Q1.Are you a manufacturer?

A1: Yes, we are an experienced manufacturer with our own molds and production lines.

Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

Q5.May I buy samples from you?

A5: Yes! You are welcome to place sample order to test our superior quality and service, mixed samples are acceptable.

Q6.Can I visit your factory?

A6: Yes, welcome to visit our factory at your convenient time.

Q7.How can I make OEM or ODM orders?

A7: We have different print processing for different OEM/ODM orders. Please contact us with online service or send email to us directly.

Q8. How should I pay for my orders?

A8: You can pay by T/T, L/C at sight would be available for qualified bank and MOQ required for each order.

Logistics

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Certifications



Exhibition & Fair



Factory Show

